

| | |
|-----------|-----------|
| APPROVED | O.G. FIG. |
| BY | CLASS |
| DRAFTSMAN | SUBCLASS |

FIG. 1




FIG. 2






FIG. 3



| | | |
|-----------|-----------|----------|
| APPROVED | O.G. FIG. | |
| BY | CLASS | SUBCLASS |
| DRAFTSMAN | | |

FIG. 4



(A)

(B)

FIG. 5

| | | |
|----------|-----------|----------------|
| APPROVED | O.G. FIG. | CLASS SUBCLASS |
| | BY | |
| | | DRAFTSMAN |

(A)

| MESSAGE TYPE | PARAMETER LENGTH | PARAMETER | |
|--------------|------------------|-----------|----------|
| 32 bits | 16 bits | 32 bits | 32 bits |
| OBSERVE TYPE | 8 | EVENT NO. | OBSERVER |
| | | | |

(B)

| MESSAGE TYPE | PARAMETER LENGTH | PARAMETER | |
|--------------|------------------|-----------|----------|
| 32 bits | 16 bits | 32 bits | 32 bits |
| CANCEL TYPE | 8 | EVENT NO. | OBSERVER |
| | | | |

(C)

| MESSAGE TYPE | PARAMETER LENGTH | PARAMETER | | |
|--------------|------------------|-----------|------------------|-----------------|
| 32 bits | 16 bits | 32 bits | 16 bits | VARIABLE LENGTH |
| REPORT TYPE | VARIABLE LENGTH | EVENT NO. | PARAMETER LENGTH | PARAMETER |

| | | |
|-----------------------------|-----------|----------|
| APPROVED BY DRAFTSMAN | O.G. FIG. | |
| | CLASS | SUBCLASS |

FIG. 6




FIG. 7

| | | | |
|-------------------------|--------------|-----------|--------------------|
| SENDER NODE | BROADCAST ID | CLIENT ID | BODY |
| DEPENDENT ON NETWORK | 32 bits | 32 bits | VARIABLE LENGTH |

| | | | |
|-----------|-----------|-------|----------|
| APPROVED | O.G. FIG. | CLASS | SUBCLASS |
| | BY | | |
| DRAFTSMAN | | | |

FIG. 8

| MESSAGE TYPE | CLIENT ID | LOCAL ID OF DESTINATION |
|------------------------------|----------------|----------------------------|
| PULSE TRANS- MISSION TYPE | PULSE PACKET | BROADCAST MANAGER |
| REPORT TYPE | EVENT | EVENT MANAGER |
| SEARCH TYPE | SERVICE SEARCH | SERVICE REGISTRY |

ID CONTAINED
IN HEADER
IN NETWORK

ID IN DESTINATION
WHEN BROADCAST MESSAGE
IS RECEIVED FROM OUTSIDE

TYPE OF MESSAGE RECEIVED
BY BROADCAST MANAGER
WITHIN APPARATUS

FIG. 9

| | | | |
|-------------------|--------------|-----------|-----------------|
| BROADCAST TIME | BROADCAST ID | CLIENT ID | BODY |
| DEPENDENT ON NODE | 32 bits | 32 bits | VARIABLE LENGTH |

| | | |
|-----------------------------|-----------|----------------|
| APPROVED BY DRAFTSMAN | O.G. FIG. | CLASS SUBCLASS |
| | | |

FIG. 10

| | | |
|----------------------|--------------|-----------|
| SENDER NODE | BROADCAST ID | CLIENT ID |
| DEPENDENT ON NETWORK | 32 bits | 32 bits |

FIG. 11

| | | | |
|----------|-------------|--------------|-------------------|
| TAM TYPE | SENDER NODE | BROADCAST ID | RECEPTION TIME |
| 16 bits | 64 bits | 32 bits | DEPENDENT ON NODE |

FIG. 12

| | | |
|----------|-----------|----------|
| APPROVED | O.G. FIG. | |
| | CLASS | SUBCLASS |
| BY | DRAFTSMAN | |




FIG. 13

| | | |
|-----------|-----------|----------|
| APPROVED | O.G. FIG. | |
| | CLASS | SUBCLASS |
| BY | | |
| DRAFTSMAN | | |




FIG. 14

| | | | | |
|----------|-----------|----------|----|-----------|
| APPROVED | O.G. FIG. | | BY | DRAFTSMAN |
| | CLASS | SUBCLASS | | |




FIG. 15

(A)

| EVENT TYPE | PARAMETER LENGTH | PARAMETER |
|------------|------------------|-----------------|
| 32 bits | 16 bits | VARAIBLE LENGTH |

(B)

| MESSAGE TYPE | PARAMETER LENGTH | PARAMETER |
|--------------|------------------|-----------|
| 32 bits | 16 bits | |
| REPORT TYPE | VARAIBLE LENGTH | |

FIG. 16

(A)


| EVENT TYPE | PARAMETER LENGTH | PARAMETER |
|------------|------------------|-----------------|
| 32 bits | 16 bits | VARAIBLE LENGTH |

(B)

| MESSAGE TYPE | PARAMETER LENGTH | PARAMETER |
|----------------|------------------|-----------|
| 32 bits | 16 bits | |
| BROADCAST TYPE | VARAIBLE LENGTH | |

| | | | |
|----------|-----------|-------|----------|
| APPROVED | O.G. FIG. | CLASS | SUBCLASS |
| | BY | | |

FIG. 17



| | | |
|-----------|-----------|----------|
| APPROVED | Q.G. FIG. | |
| | CLASS | SUBCLASS |
| BY | | |
| DRAFTSMAN | | |

FIG. 18

| | | | |
|-----------|-----------|-------|----------|
| APPROVED | Q.G. FIG. | CLASS | SUBCLASS |
| | BY | | |
| DRAFTSMAN | | | |




FIG. 19

| | | |
|----------|-----------|----------|
| APPROVED | O.G. FIG. | |
| | CLASS | SUBCLASS |
| BY | DRAFTSMAN | |




FIG. 20

| | |
|----------------|----------------|
| APPROVED BY | O.G. FIG. |
| | CLASS SUBCLASS |
| DRAFTSMAN | |

